

LETTER TO EDITOR

Neglected Roots: The Prominent Role of the Community Health Nurse in Managing the Crisis of Elderly Isolation in Kinship Networks

Iman Nosratabadi¹, MS; Reza Abdollahi², PhD candidate

¹Department of Nursing, Faculty of Nursing and Midwifery, Sirjan University of Medical Sciences, Sirjan, Iran;

²Patient Safety Research Center, Clinical Research Institute, Nursing & Midwifery School, Urmia University of Medical Sciences, Urmia, Iran

Corresponding Author:

Reza Abdollahi, PhD candidate; Department of Nursing, School of Nursing and midwifery, Urmia University of Medical Sciences, Postal Code: 58817-16635, Urmia, Iran

Tel/Fax: +98 44 35233969; Email: rezaabdollahi97@yahoo.com

Received: 15 February 2026 Revised: 29 March 2026 Accepted: 4 April 2026

Online Published: 16 May 2026

DEAR EDITOR

In the global aging population, elderly isolation emerges as a silent epidemic, particularly within kinship networks, those intricate webs of family ties that traditionally provide emotional, social, and practical support. Social isolation among older adults, defined as a lack of meaningful social contacts, often intersects with loneliness, a subjective feeling of disconnection, leading to profound health consequences. According to health research, isolation heightens the risks for heart disease, stroke, type 2 diabetes, anxiety, depression, and premature death. Within kinship networks, this crisis intensifies when family structures fragment due to geographic mobility, urbanization, or the loss of spouses and siblings, leaving the elderly without close kins. Community health nurses (CHNs), operating in non-clinical settings like homes and neighborhoods, play a pivotal role in mitigating this issue through proactive assessment, intervention, and coordination.¹

The causes of elderly isolation within kinship networks are multifaceted, often rooted in societal shifts that erode traditional support systems. In many cultures, kinship networks once ensured intergenerational care, but modern factors like family dispersion driven by job opportunities or migration disrupt these bonds. For instance, in developing societies like Java, elderly care traditionally falls on kins, yet economic pressures lead to neglect or isolation when families prioritize livelihoods over caregiving. In Western contexts, the absence of close kins, affecting a growing number of older adults, exacerbates vulnerability, with studies showing higher social isolation among those lacking immediate family. Additional contributors include bereavement, reduced mobility due to health issues, and limited transportation, which hinder access to social activities and deepen reliance on sparse kinship ties.² The impacts are severe: isolated elders in weakened kinship networks report poorer mental health, reduced social activity, and heightened dissatisfaction, correlating with cognitive decline and increased mortality. Analytically, this crisis underscores a gap in informal support, where kinship networks, once resilient, now falter under demographic pressures like longer lifespans and smaller families, necessitating professional intervention.³

CHNs are ideally positioned to identify and assess isolation within these networks, leveraging their community-embedded practice. Through routine home visits and health screenings, CHNs conduct holistic evaluations, using tools to measure social connections and loneliness levels. Unlike hospital-based nurses, CHNs focus on preventive public health, enabling early detection in kinship settings where the elders may hide isolation to avoid burdening family. For example, public health nurses employ case-finding strategies to spot at-risk individuals, assessing factors like kinship density and engagement. This analytical lens reveals CHNs' advantage: their proximity allows nuanced understanding of cultural kinship dynamics, such as in rural areas where isolation predicts mortality more strongly than loneliness itself. By integrating family histories into assessments, CHNs uncover hidden strains, transforming passive observation into actionable insights that prevent escalation.⁴

Beyond assessment, CHNs manage the crisis through targeted interventions that strengthen or supplement kinship networks. They educate families on isolation signs and effects, fostering better support within kin groups. Referrals to community resources such as adult day services, which combat isolation by promoting social participation, are a core strategy, particularly effective for elders with limited kins. In primary care collaborations, CHNs lead multidisciplinary teams, implementing programs like companionship visits or technology-aided connections to bridge the kinship gaps. Home care services, often coordinated by CHNs, provide companionship that mimics kinship roles, reducing loneliness through daily interactions. Analytically, these efforts highlight CHNs' advocacy function: they empower kinship networks by addressing barriers like transportation or health literacy, while advocating for policy changes in underserved areas. Evidence from quality improvement projects shows that such interventions enhance social connections, though challenges like resource scarcity in rural settings persist.⁵

In conclusion, CHNs serve as vital agents in combating elderly isolation within kinship networks, offering a blend of assessment, education, and coordination that traditional family structures alone cannot always provide. Their role not only alleviates immediate crises but also promotes long-term resilience, addressing a public health imperative amid demographic shifts. As populations age, investment in CHN-led strategies could transform kinship vulnerabilities into strengthened community bonds, ultimately enhancing the elders' well-being.

Acknowledgements

We appreciate and thank all the authors whose articles we have used in writing the text.

Authors' Contribution

R.A developed the conceptualization, I.N. performed document search, and wrote the draft of the manuscript. All authors have reviewed and approved the final draft and are responsible for the letter's content.

Funding Source

There is no financial support for this article.

Conflict of Interest

None declared.

Declaration on the use of AI

The author of this manuscript declares that in the writing process of this work, neither artificial intelligence (AI) nor AI-assisted technologies were used.

Please cite this article as: Nosratabadi I, Abdollahi R. Neglected Roots: The Prominent Role of the Community Health Nurse in Managing the Crisis of Elderly Isolation in Kinship Networks. *IJCBNM*. 2026;14(3):261-263. doi: 10.30476/ijcbnm.2026.109318.2944.

REFERENCES

- 1 Kendig HL. Ageing and families: a support networks perspective. US: Routledge; 2023.
- 2 Rodrigues NG, Han CQY, Su Y, et al. Psychological impacts and online interventions of social isolation amongst older adults during COVID-19 pandemic: A scoping review. *Journal of Advanced Nursing*. 2022;78:609-44.
- 3 Wenger GC. The supportive network: Coping with old age. US: Routledge; 2021.
- 4 Perone AK, Urrutia-Pujana L, Zhou L, et al. The equitable aging in health conceptual framework: international interventions infusing power and justice to address social isolation and loneliness among older adults. *Frontiers in Public Health*. 2025;13:1426015.
- 5 Gunawan J, Nazliansyah, Aungsuroch Y, et al. A Qualitative Study of Coping Strategies for Loneliness Among Indonesian Older Adults: Implications for Nursing Practice. *International Journal of Mental Health Nursing*. 2025;34:e70033.