

LETTER TO EDITOR

A Community-Based Circuit Breaker: Rethinking Youth Clubs as Frontline Defense Against Anxiety Disorders

Somayeh Khezerloo¹, PhD; Reza Abdollahi², PhD candidate

¹Department of Nursing, School of Nursing and Midwifery, Urmia University of Medical Sciences, Urmia, Iran;

²Patient Safety Research Center, Clinical Research Institute, Nursing and Midwifery School, Urmia University of Medical Sciences, Urmia, Iran

Corresponding Author:

Reza Abdollahi, PhD candidate; Patient Safety Research Center, Clinical Research Institute, Nursing and Midwifery School, Urmia University of Medical Sciences, Postal code 58817-16635, Urmia, Iran

Tel/Fax: +98 44 35233969; **Email:** rezaabdollahi97@yahoo.com

Received: 8 April 2026 **Revised:** 12 September 2026 **Accepted:** 22 September 2026

Online Published: 17 October 2026

DEAR EDITOR

In an era where mental health challenges among young people have reached alarming levels, innovative approaches to prevention are essential. Anxiety disorders affect approximately 31.9% of U.S. adolescents aged 13-18 years, with girls experiencing rates as high as 38% compared to 26.1% for boys. Globally, the burden has surged, with a 52% increase in new cases among 10-24-year-olds from 1990 to 2021. This rise, exacerbated by factors like social media, academic pressures, and post-pandemic isolation, underscores the need for accessible interventions. Youth clubs' community hubs offering structured activities, social interaction, and skill-building emerge as potential "circuit breakers," interrupting the escalation of anxiety before it overwhelms clinical systems. By reframing these clubs as proactive mental health defenses, societies can foster resilience, reduce symptom severity, and alleviate the strain on overburdened healthcare resources.¹

The prevalence of anxiety in youth demands a shift from reactive treatment to community-level prevention. Modern stressors, including digital overload and societal uncertainties, contribute to symptoms like persistent worry and social withdrawal, affecting one in five United States adolescents in recent surveys. Traditional mental health services often fail to reach these populations due to stigma, waitlists, and accessibility barriers, with over 50% of affected youth unable to access care. Youth clubs, however, operate in familiar, non-clinical settings like community centers or after-school programs, making them ideal for early intervention. Analytically, this model leverages the developmental stage of adolescence, where peer influences and experiential learning are pivotal. By embedding mental health support within recreational frameworks, clubs can normalize discussions around emotions, breaking the cycle of isolation that fuels anxiety disorders.²

At their core, youth clubs provide multifaceted benefits that directly counter the mechanisms of anxiety. Activities such as team sports, arts workshops, and group discussions promote social connectedness, which research links to reduced depression and anxiety symptoms. For instance, regular participation decreases truancy and alcohol use while enhancing self-esteem and academic

engagement. These outcomes stem from building life skills like teamwork, communication, and stress management tools that act as buffers against anxiety triggers. Programs incorporating peer support groups further amplify this, allowing teens to share experiences in safe spaces, fostering a sense of belonging that mitigates feelings of inadequacy. Critically, this community-based approach democratizes mental health resources, reaching underserved groups like low-income or minority youth who face higher barriers to formal therapy. Unlike isolated clinical sessions, clubs integrate prevention into daily life, potentially yielding long-term societal gains by reducing future healthcare costs and productivity losses associated with untreated anxiety.³

Empirical evidence supports rethinking youth clubs as frontline defenses although effects vary by implementation. School-based anxiety prevention programs, akin to club models, demonstrate small to medium reductions in symptoms, with cognitive-behavioral elements proving particularly effective. A pilot study of the “Cool Kids” program, delivered in school settings, showed significant decreases in anxiety and threat-related thoughts among participants. Community programs offering leisure activities similarly promote mental health, with targeted interventions for the at-risk youth yielding stronger results than universal ones. However, meta-analyses reveal modest overall impacts, suggesting clubs must incorporate evidence-based components like psychoeducation and skill-building to maximize efficacy. Analytically, this highlights a key limitation: without structured mental health integration, clubs risk superficial engagement. Yet, when combined with professional oversight, they outperform waitlist controls, emphasizing their role in scalable prevention.⁴

Despite these strengths, challenges persist in deploying youth clubs as circuit breakers. Funding constraints and unequal access evident in lower participation rates among low-income families undermine the potentials. Gender disparities, with boys more involved in sports and girls in clubs, may exacerbate uneven benefits. Moreover, sustaining programs beyond pilots requires community buy-in and training for facilitators to handle emerging issues. Addressing these through policy incentives, like subsidies or partnerships with mental health experts, could enhance scalability and equity.⁵

Ultimately, rethinking youth clubs as community-based circuit breakers offers a pragmatic antidote to the youth anxiety epidemic. By interrupting escalation through social support and skill development, they not only reduce individual suffering but also build resilient communities. Policymakers and educators must prioritize investment in these programs, integrating evidence-based strategies to amplify their impact. In doing so, we transform casual gatherings into vital safeguards, ensuring young people thrive amid modern pressures. Critically, community nurses are uniquely positioned to serve as facilitators, trainers, and links between youth clubs and formal mental health services. The approach makes youth clubs not merely recreational spaces but structured extensions of community health practice. Therefore, community nursing professionals must advocate for and help design these interventions, ensuring that community-based circuit breakers are integrated into primary care and public health strategies for prevention of adolescents’ anxiety.

Acknowledgement

We appreciate and thank all the authors whose articles we have used in writing the text.

Authors’ Contribution

R.A developed the conceptualization, S.KH. performed document search, and wrote the draft of the manuscript. All authors have reviewed and approved the final draft and are responsible for the letter’s content.

Funding Source

There is no financial support for this article.

Conflict of Interest

None declared.

Declaration on the Use of AI

The author of this manuscript declares that in the writing process of this work, neither artificial intelligence (AI) nor AI-assisted technologies were used.

Please cite this article as: Khezerloo S, Abdollahi R. A Community-Based Circuit Breaker: Rethinking Youth Clubs as Frontline Defense Against Anxiety Disorders. *IJCBNM*. 2027;15(1): doi: 10.30476/ijcbnm.2026.110966.3047.

REFERENCES

- 1 Tuaf H, Orkibi H. Community-based programs for youth with mental health conditions: a scoping review and practical implications. *Frontiers in Public Health*. 2023;11:1241469.
- 2 Opara I, Pagan C, Rose RE, et al. Development of an Intervention for Managing Adolescent Anxiety Using Community-Based Participatory Methods: Protocol. *JMIR Research Protocols*. 2025;14:e75501.
- 3 Raeber F, Haldemann M-I, Ray S, et al. Community-based models of care for adolescent and adult depression, suicidal behavior, anxiety, trauma, and substance use in Africa: a scoping review. *Frontiers in Psychology*. 2024;15:1241403.
- 4 Scaini S, Rossi F, Rapee RM, et al. The cool kids as a school-based universal prevention and early intervention program for anxiety: Results of a pilot study. *International Journal of Environmental Research and Public Health*. 2022;19:941.
- 5 Uhlhaas PJ, Davey CG, Mehta UM, et al. Towards a youth mental health paradigm: a perspective and roadmap. *Molecular Psychiatry*. 2023;28:3171-81.